

Clatterbridge Road Bebington Wirral CH63 4JY

Tel: 0151 556 5000 Web: www.clatterbridgecc.nhs.uk

Date: 6 July 2021

Re: Freedom of Information Request

Ref: 196-2021

Thank you for your email dated the 5th July 2021, requesting information in relation to urological procedures.

I can confirm that our Trust does not hold any information in this regard. Our Trust is a tertiary specialist cancer treatment centre, we therefore do not perform any of the urological procedures listed in the table below. Therefore, the information you have requested is not applicable to our Trust in this instance.

We are making a freedom of information request about endo urological procedures delivered annually by your hospital/Trust. Please find attached a list of the procedures and associated HRG codes.

Please can you let us know how many of each of these procedures you actually delivered in 19/20 and 20/21.

Please can you also tell us how many of each of these procedures were cancelled on the planned day of delivery as a result of the patient having a UTI, in 19/20 and 20/21

Name of Hospital or Trust:	Enter name of hospital or trust here	19/20		20/21	
HRG Code	HRG Name	How many of these procedures did you deliver in 19/20?	How many of these procedures did you cancel on the day in 19/20 due to the patient having a UTI?	How many of these procedures did you deliver in 20/21?	How many of these procedures did you cancel on the day in 20/21 due to the patient having a UTI?
LB09C	Intermediate Endoscopic Ureter Procedures, 18 years and under				
LB09D	Intermediate Endoscopic Ureter Procedures, 19 years and over				
LB13C	Major Endoscopic Bladder Procedures with CC Score 7+ Major Endoscopic				
LB13D	Bladder Procedures with CC Score 5-6 Major Endoscopic Bladder Procedures				
LB13E	with CC Score 2-4 Major Endoscopic Bladder Procedures with CC Score 0-1				
LB14Z	Intermediate Endoscopic Bladder Procedures Minor Bladder				
LB15D	Procedures, 18 years and under Minor Bladder				
LB15E	Procedures, 19 years and over Urinary Incontinence or Other Urinary Problems, with				
LB16D	Interventions, with CC Score 7+ Urinary Incontinence or Other Urinary Problems, with				
LB16E	Interventions, with CC Score 3-6 Urinary Incontinence or Other Urinary				
LB16F	Problems, with Interventions, with CC Score 0-2 Urinary Incontinence				
LB16G	or Other Urinary Problems, without				

	T	T	1	T
	Interventions, with			
	CC Score 8+			
	Urinary Incontinence			
	or Other Urinary Problems, without			
	Interventions, with			
LB16H	CC Score 5-7			
LDTOIT	Urinary Incontinence			
	or Other Urinary			
	Problems, without			
	Interventions, with			
LB16J	CC Score 2-4			
	Urinary Incontinence			
	or Other Urinary			
	Problems, without			
	Interventions, with			
LB16K	CC Score 0-1			
	Introduction of			
	Therapeutic			
I D477	Substance into			
LB17Z	Bladder Attention to			
	Suprapubic Bladder			
LB18Z	Catheter			
LD102	Ureteric or Bladder			
	Disorders, with			
	Interventions, with			
LB19C	CC Score 4+			
	Ureteric or Bladder			
	Disorders, with			
	Interventions, with			
LB19D	CC Score 0-3			
	Ureteric or Bladder			
	Disorders, without			
1.04.05	Interventions, with			
LB19E	CC Score 5+			
	Ureteric or Bladder			
	Disorders, without Interventions, with			
LB19F	CC Score 2-4			
LD131	Ureteric or Bladder			
	Disorders, without			
	Interventions, with			
LB19G	CC Score 0-1			
	Infection or			
	Mechanical Problems			
	Related to Genito-			
	Urinary Prostheses,			
	Implants or Grafts,			
I Doog	with Interventions,			
LB20C	with CC Score 4+			
	Major Laparoscopic,			
	Prostate or Bladder Neck Procedures			
LB22Z	(Male)			
	Transurethral			
	Prostate Resection			
	Procedures with CC			
LB25D	Score 6+			
•				

Prostate Resection Procedures with CC Score 3-5 Transurethral Prostate Resection Procedures with CC Score 0-2 Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Fermale), with LB26A CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Fermale), with LB26A CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with LB26B CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, LB26C with CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, between LB29C 2 and 18 years Major Open Urethra Procedures, 1 year and under Disease with Interventions, with CC Score 3+ Urinary Tract Stone Disease with Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with Interventions, with Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with Interventions, with Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with Interventions,				1	ı	
Procedures with CC Transurethral Prostate Resection Prostate Resection Procedures with CC Basic Score 0-2 Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with EB26A CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with EB26B CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, IB28C with CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, between EB29C and 18 years Alajor Open Urethra Procedures, between Urinary Tract Stone Disease with Interventions, with CC Score 6+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 6+ Urinary Tract Stone Disease with Interventions, with LB40F CC Score 6+ Urinary Tract Stone Disease with Interventions, with LB40F CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40F CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40F CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40G CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40F CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40F CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40G CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40G CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40G CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40G CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40G CC Score 6- Urinary Tract, 19 Urinary Tract, 19 Urinary Tract, 18		Transurethral				
LB25E Score 3-5 Transurethral Prostate Resection Procedures with CC LB25F Score 0-2 Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Fermale), with LB26A CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Fermale), with LB26B CC Score 0-1 Non-Mailgnant Prostate Disorders with Interventions, LB28C with CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, 19 years and over Urinary Tract Stone Disease with Interventions, with LB40C CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 6+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract, 19 Verse Without		Prostate Resection				
LB25E Score 3-5 Transurethral Prostate Resection Procedures with CC LB25F Score 0-2 Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Fermale), with LB26A CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Fermale), with LB26B CC Score 0-1 Non-Mailgnant Prostate Disorders with Interventions, LB28C with CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, 19 years and over Urinary Tract Stone Disease with Interventions, with LB40C CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 6+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract, 19 Verse Without		Procedures with CC				
Transurethral Prostate Resection Procedures with CC Score 0-2 Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with LB26A CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with LB26B CC Score 2+ Non-Malignant Prostate Disorders with Interventions, With CC Score 4+ Major Open Urethra Procedures, 19 years LB29A and over LB29C and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with LB40C CC Score 3+ Urinary Tract Stone Disease without Interventions, with CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40C CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract, 19 Urinary Tract, 19 Urinary Tract, 18	LB25E					
Prostate Resection Procedures with CC Score 0-2 Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with CBC Score 0-1 Non-Mailgnant Prostate Disorders with Interventions, with Interventions, With CC Score 4+ With CC Score 3+ With CC Score 3+ With CC Score 3+ With CC Score 5+ With CC Score 6+ With CC Score 6+ With CC Score 6+ With CC Score 3-5 With CC Score 3-5 With CC Score 3-5 Without Interventions, with CC Score 3-5 With With CC Score 3-5 Without Interventions, with CC Score 3-5 With						
Procedures with CC Score 0-2 Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with LB26A CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with LB26B CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, ILB28C with CC Score 4+ Major Open Urethra Procedures, 19 years LB29A and over Major Open Urethra Procedures, between LB29C 2 and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with LB40C CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 0-5 Urinary Tract Stone Disease without Interventions, with LB40C CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract, 19 Urinary Tract, 18						
LB25F Score 0-2 Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, with CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E C Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40F C Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40F C Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40F C Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40F C Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40F C Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40F C Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40F C Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40F C Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G C Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G C Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G C Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40A C Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40A C Score 0-2 Urinary Tract, 19 Urinary Tract, 19 Urinary Tract, 18						
Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with LB26A CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with LB26B CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, with CC Score 4+ Major Open Urethra Procedures, 19 years LB29A and over Major Open Urethra Procedures, 19 years Major Open Urethra Procedures, 19 year IB29C Urinary Tract Stone Disease with Interventions, with LB40C CC Score 0-2 Urinary Tract Stone Disease with Interventions, with LB40E CC Score 6-4 Urinary Tract Stone Disease with Interventions, with LB40E CC Score 6-5 Urinary Tract Stone Disease with Unterventions, with LB40E CC Score 6-5 Urinary Tract Stone Disease with Unterventions, with LB40E CC Score 6-5 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6-5 Urinary Tract Stone Disease without Interventions, with CC Score 6-5 Urinary Tract Stone Disease without Interventions, with CC Score 6-7 Urinary Tract Stone Disease without Interventions, with CC Score 6-9 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Urinary Tract, 19 Urinary Tract, 19 Urinary Tract, 18						
Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with LB26A C Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with LB26B CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, with CC Score 4+ Major Open Urethra Procedures, 19 years and over Amajor Open Urethra Procedures, 19 years Amajor Open Urethra Procedures, between 2 and 18 years Amajor Open Urethra Procedures, 19 years Amajor Open Urethra Procedures, 19 years Amajor Open Urethra Procedures, between 2 and 18 years Amajor Open Urethra Procedures, 19 years Amajor Open Urinary Tract Stone Disease without Interventions, with Urethreyntions, Withuman Urethreyntions, With Urethreyntions, With Urethreyntions, Wi	LB25F					
or Bladder Neck Procedures (Male and Female), with LB26A CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with LB26B C Score 0-1 Non-Malignant Prostate Disorders with Interventions, With CC Score 4+ Major Open Urethra Procedures, 19 years LB29C and 18 years LB29C and 18 years LB29C 2 and 18 years LB29C 2 and 18 years LB29C 2 and 18 years Major Open Urethra Procedures, between LB29C 2 and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with CC Score 3-4 Urinary Tract Stone Disease without Interventions, with CC Score 6-2 Urinary Tract Stone Disease without Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 Users Male And Score Urinary Tract, 18		Intermediate				
or Bladder Neck Procedures (Male and Female), with LB26A CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with LB26B C Score 0-1 Non-Malignant Prostate Disorders with Interventions, With CC Score 4+ Major Open Urethra Procedures, 19 years LB29C and 18 years LB29C and 18 years LB29C 2 and 18 years LB29C 2 and 18 years LB29C 2 and 18 years Major Open Urethra Procedures, between LB29C 2 and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with CC Score 3-4 Urinary Tract Stone Disease without Interventions, with CC Score 6-2 Urinary Tract Stone Disease without Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 Users Male And Score Urinary Tract, 18		Endoscopic, Prostate				
Procedures (Male and Female), with CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with LB26B CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, with CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, 19 years and under Urinary Tract Stone Disease with Interventions, with LB40C CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract, 19 UB42A years and over Dynamic Studies of Urinary Tract, 18						
and Female), with CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with LB26B CC Score 0-1 Non-Malignant Prostate Disorders with CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, between LB29A and under LB29C 2 and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with LB40C CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6-5 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6-2 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 Urinary Tract, 19 Uyears and over Dynamic Studies of Urinary Tract, 18						
LB26A CC Score 2+ Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with LB26B CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, with CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, 19 years and over LB29C and 18 years Major Open Urethra Procedures, 19 years and under Urinary Tract Stone Disease with Interventions, with CC Score 3+ Urinary Tract Stone Disease without Interventions, with LB40D CC Score 6+ Urinary Tract Stone Disease without Interventions, with CC Score 6- Urinary Tract Stone Disease without Interventions, with CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40F CC Score 6- Urinary Tract Stone Disease without Interventions, with CC Score 6- Urinary Tract Stone Disease without Interventions, with CC Score 6- Urinary Tract Stone Disease without Interventions, with CC Score 6- Urinary Tract Stone Disease without Interventions, with CC Score 6- Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Dynamic Studies of Urinary Tract, 19 years and over Dynamic Studies of Urinary Tract, 18		`				
Intermediate Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, with CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, between 2 and 18 years LB29C 2 and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with Interventions, with CC Score 3+ Urinary Tract Stone Disease with Interventions, with Interventions, with Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC C Score 6+ Urinary Tract Stone Disease without Interventions, with CC C Score 6-5 Urinary Tract Stone Disease without Interventions, with CC C Score 6-5 Urinary Tract Stone Disease without Interventions, with CC C Score 6-5 Urinary Tract Stone Disease without Interventions, with CC C Score 6-5 Urinary Tract Stone Disease without Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Urinary Tract, 19 years and over Dynamic Studies of Urinary Tract, 18	I BOGA					
Endoscopic, Prostate or Bladder Neck Procedures (Male and Female), with CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, with CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, between LB29A and Over LB29C 2 and 18 years Major Open Urethra Procedures, between LB29C 2 and 18 years Major Open Urethra Procedures, 19 year and under Urinary Tract Stone Disease with Interventions, with CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40C CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with CC Score 6-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 6-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract, 19 URAPA Vegars and over Dynamic Studies of Urinary Tract, 18	LDZUA					
or Bladder Neck Procedures (Male and Female), with LB26B CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, With CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, between LB29A and over Major Open Urethra Procedures, between LB29C 2 and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40C CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 6-+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6-+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 years and over Dynamic Studies of Urinary Tract, 18						
Procedures (Male and Female), with CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, with CC Score 4+ Major Open Urethra Procedures, 19 years and over Urinary Tract Stone Disease with Interventions, with CC Score 3+ LB29A Idag Score 14 Major Open Urethra Procedures, 19 years and under Procedures, 19 years and under Urinary Tract Stone Disease with Interventions, with CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40C CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 6-4 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 0-2 Dynamic Studies of Urinary Tract, 19 years and over Dynamic Studies of Urinary Tract, 18						
and Female), with CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, with CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, between 2 and 18 years Major Open Urethra Procedures, between 2 and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with LB40C CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18						
LB26B CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, LB28C with CC Score 4+ Major Open Urethra Procedures, 19 years LB29A and over Major Open Urethra Procedures, between LB29C 2 and 18 years Major Open Urethra Procedures, 1 year Andjor Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with LB40C CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over						
LB26B CC Score 0-1 Non-Malignant Prostate Disorders with Interventions, LB28C with CC Score 4+ Major Open Urethra Procedures, 19 years LB29A and over Major Open Urethra Procedures, between LB29C 2 and 18 years Major Open Urethra Procedures, 1 year Andjor Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with LB40C CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over		and Female), with				
Non-Malignant Prostate Disorders with Interventions, with CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, between LB29C 2 and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with LB40C CC Score 3+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6-2 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 years and over Dynamic Studies of Urinary Tract, 18	LB26B					
Prostate Disorders with Interventions, with CC Score 4+ Major Open Urethra Procedures, 19 years LB29A and over Major Open Urethra Procedures, between LB29C 2 and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with CC Score 3+ Urinary Tract Stone Disease with Interventions, With Inte						
with Interventions, with CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, between LB29C 2 and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with LB40C CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease Without Interventions, with LB40F CD Score 3-5 Urinary Tract Stone Disease Without Interventions Disease Without Interventions Interven						
LB28C with CC Score 4+ Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, between Procedures, between Procedures, between Procedures, 1 year and under Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with CC Score 3+ Urinary Tract Stone Disease with Interventions, with CC Score 0-2 Urinary Tract Stone Disease with Urinary Tract Stone Disease with Urinary Tract Stone Disease with Urinary Tract Stone Disease without Interventions, with CC Score 6- Urinary Tract Stone Disease without Interventions, with Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18						
Major Open Urethra Procedures, 19 years and over Major Open Urethra Procedures, between LB29C 2 and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with LB40C CC Score 3+ Urinary Tract Stone Disease with Interventions, with Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6- Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18	I DOOC					
Brocedures, 19 years and over Major Open Urethra Procedures, between LB29C 2 and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with CC Score 3+ Urinary Tract Stone Disease with Interventions, with CC Score 0-2 Urinary Tract Stone Disease with Interventions, with Interventions Interventions, with Interventions	LDZOC					
LB29A and over Major Open Urethra Procedures, between 2 and 18 years Major Open Urethra Procedures, 1 year and under LB29D and under Urinary Tract Stone Disease with Interventions, with CC Score 3+ Urinary Tract Stone Disease with Interventions, with Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18						
Major Open Urethra Procedures, between LB29C 2 and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18						
Procedures, between 2 and 18 years	LB29A					
Procedures, between 2 and 18 years		Major Open Urethra				
LB29C 2 and 18 years Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18		Procedures, between				
Major Open Urethra Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with LB40C CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 years and over Dynamic Studies of Urinary Tract, 18	LB29C					
Procedures, 1 year and under Urinary Tract Stone Disease with Interventions, with LB40C CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18						
LB29D and under Urinary Tract Stone Disease with Interventions, with LB40C CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18						
Urinary Tract Stone Disease with Interventions, with CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18	I BOOD					
Disease with Interventions, with CC Score 3+ Urinary Tract Stone Disease with Interventions, with LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 years and over Dynamic Studies of Urinary Tract, 18	LDZ9D					
Interventions, with CC Score 3+ Urinary Tract Stone Disease with Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18						
LB40C CC Score 3+ Urinary Tract Stone Disease with Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 years and over Dynamic Studies of Urinary Tract, 18						
Urinary Tract Stone Disease with Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18						
Disease with Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A Dynamic Studies of Urinary Tract, 18	LB40C	CC Score 3+				
Disease with Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A Dynamic Studies of Urinary Tract, 18		Urinary Tract Stone				
Interventions, with CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40F CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18						
LB40D CC Score 0-2 Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18						
Urinary Tract Stone Disease without Interventions, with LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18	LB40D					
Disease without Interventions, with CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 years and over Dynamic Studies of Urinary Tract, 18						
Interventions, with CC Score 6+ Urinary Tract Stone Disease without Interventions, with LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18						
LB40E CC Score 6+ Urinary Tract Stone Disease without Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18						
Urinary Tract Stone Disease without Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18	L D 40=	The state of the s				
Disease without Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 years and over Dynamic Studies of Urinary Tract, 18	LB40E					
Interventions, with CC Score 3-5 Urinary Tract Stone Disease without Interventions, with CC Score 0-2 Dynamic Studies of Urinary Tract, 19 years and over Dynamic Studies of Urinary Tract, 18						
LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18		Disease without				
LB40F CC Score 3-5 Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18		Interventions, with				
Urinary Tract Stone Disease without Interventions, with LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18	LB40F					
Disease without Interventions, with CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18						
Interventions, with CC Score 0-2 Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18						
LB40G CC Score 0-2 Dynamic Studies of Urinary Tract, 19 years and over Dynamic Studies of Urinary Tract, 18						
Dynamic Studies of Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18	L D 400					
Urinary Tract, 19 LB42A years and over Dynamic Studies of Urinary Tract, 18	LB40G					
LB42A years and over Dynamic Studies of Urinary Tract, 18						
LB42A years and over Dynamic Studies of Urinary Tract, 18		Urinary Tract, 19				
Dynamic Studies of Urinary Tract, 18	LB42A					
Urinary Tract, 18						
LUTZU JYGAIS ANU UNUGI	1 B/2D					
		Lyours and under	<u> </u>	<u>I</u>	<u>I</u>	

	T-		T	T
	Implantation of			
	Artificial Urinary			
	Sphincter (Male and			
LB50Z	Female)			
	Minor or			
	Intermediate, Urethra			
	Procedures, 19 years			
LB55A	and over			
	Major, Open or			
	Laparoscopic,			
	Bladder Neck			
LB59Z	Procedures (Female)			
	Complex, Open or			
	Laparoscopic, Kidney			
	or Ureter			
	Procedures, with CC			
LB60C	Score 7+			
	Complex, Open or			
	Laparoscopic, Kidney			
	or Ureter			
	Procedures, with CC			
LB60D	Score 4-6			
	Complex, Open or			
	Laparoscopic, Kidney			
	or Ureter			
	Procedures, with CC			
LB60E	Score 2-3			
	Complex, Open or			
	Laparoscopic, Kidney			
	or Ureter			
	Procedures, with CC			
LB60F	Score 0-1			
	Major, Open or			
	Percutaneous,			
	Kidney or Ureter			
	Procedures, 19 years			
1.004.0	and over, with CC			
LB61C	Score 10+			
	Major, Open or			
	Percutaneous,			
	Kidney or Ureter			
	Procedures, 19 years			
I DOAD	and over, with CC			
LB61D	Score 7-9			
	Major, Open or			
	Percutaneous,			
	Kidney or Ureter Procedures, 19 years			
	and over, with CC			
LB61E	Score 4-6			
LDUIL	Major, Open or			
	Percutaneous,			
	Kidney or Ureter			
	Procedures, 19 years			
	and over, with CC			
LB61F	Score 2-3			
LD011	Major, Open or			
	Percutaneous,			
	Kidney or Ureter			
LB61G	Procedures, 19 years			
	i roccadico, io years	l	1	

			T	T	T
	and over, with CC				
	Score 0-1				
	Major Laparoscopic,				
	Kidney or Ureter				
	Procedures, 19 years and over, with CC				
LB62C	Score 3+				
LD02C	Major Laparoscopic,				
	Kidney or Ureter				
	Procedures, 19 years				
	and over, with CC				
LB62D	Score 0-2				
	Major, Open or				
	Laparoscopic, Kidney				
	or Ureter				
	Procedures, 18 years				
L D000	and under, with CC				
LB63C	Score 2+				
	Major, Open or Laparoscopic, Kidney				
	or Ureter				
	Procedures, 18 years				
	and under, with CC				
LB63D	Score 0-1				
	Complex				
	Endoscopic, Kidney				
	or Ureter				
	Procedures, 19 years				
1.0040	and over, with CC				
LB64C	Score 5+				
	Complex Endoscopic, Kidney				
	or Ureter				
	Procedures, 19 years				
	and over, with CC				
LB64D	Score 2-4				
	Complex				
	Endoscopic, Kidney				
	or Ureter				
	Procedures, 19 years				
1 0045	and over, with CC				
LB64E	Score 0-1				
	Complex Endoscopic, Kidney				
	or Ureter				
	Procedures, 19 years				
	and over, with CC				
LB64E	Score 0-1				
	Major Endoscopic,				
	Kidney or Ureter				
	Procedures, 19 years				
L D050	and over, with CC				
LB65C	Score 5+				
	Major Endoscopic, Kidney or Ureter				
	Procedures, 19 years				
	and over, with CC				
LB65D	Score 3-4				
	Major Endoscopic,				
LB65E	Kidney or Ureter				
		·	<u></u>		·

	Procedures, 19 years			
	and over, with CC			
	Score 0-2			
	Complex or Major,			
	Endoscopic, Kidney			
	or Ureter			
	Procedures, 18 years			
LB66Z	and under			
	Complex Endoscopic			
	Bladder Procedures			
LB68A	with CC Score 3+			
	Complex Endoscopic			
	Bladder Procedures			
LB68B	with CC Score 0-2			
	Major Robotic,			
	Prostate or Bladder			
	Neck Procedures			
LB69Z	(Male)			
	Complex			
	Endoscopic, Prostate			
	or Bladder Neck			
	Procedures (Male			
L D700	and Female), with			
LB70C	CC Score 2+			
	Complex			
	Endoscopic, Prostate			
	or Bladder Neck			
	Procedures (Male			
	and Female), with			
LB70D	CC Score 0-1			
	Diagnostic Flexible			
	Cystoscopy, 19 years			
LB72A	and over			
	Diagnostic Flexible			
	Cystoscopy, 18 years			
LB72B	and under			
	Diagnostic Flexible			
	Cystoscopy using			
	Photodynamic			
LB73Z	Fluorescence			
LD132				
MASAZ	Diagnostic			
MA31Z	Hysteroscopy			
	Diagnostic			
	Hysteroscopy with			
MA32Z	Biopsy			
	Diagnostic			
	Hysteroscopy with			
	Biopsy and			
	Implantation of			
MA33Z	Intrauterine Device			
	Diagnostic			
	Hysteroscopy with			
	Implantation of			
MA34Z	Intrauterine Device			
		L.		

Should you require any further information please do not hesitate to contact me on the email address provided below.

Please remember to quote the reference number above in any future communications.

If you are dissatisfied with the handling of your request, you have the right to ask for this to be investigated internally.

If you are dissatisfied with the information you have received, you have the right to ask for an internal review.

Both processes will be handled in accordance with our Trust's Freedom of Information Policy and the Freedom of Information Act 2000.

Internal investigation and internal review requests should be submitted within two months of the date of receipt of the response to your original letter and should be addressed to: Freedom of Information Review, The Clatterbridge Cancer Centre NHS Foundation Trust, Clatterbridge Road, Bebington, Wirral, CH63 4JY

If you are not satisfied with the outcome of the internal investigation/review, you have the right to apply directly to the Information Commissioner for a decision. The Information Commissioner can be contacted at: Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF.

In order for us to ensure customer satisfaction and to monitor compliance with the Freedom of Information Act 2000, we would be grateful if you could take a couple of minutes to complete a short feedback form via the link below:

https://www.surveymonkey.co.uk/r/H39RFMM