

Clatterbridge Road Bebington Wirral CH63 4JY

Tel: 0151 556 5000 Web: www.clatterbridgecc.nhs.uk

Date: 26th March 2018

Re: Freedom of Information Request Ref: 53- 2018

Thank you for your email dated the 23rd March 2018, requesting information regarding Endoscopy provision services.

I can confirm that our Trust does not hold any information in this regard. Our Trust is a tertiary specialist cancer treatment centre and therefore does not provide any Endoscopy services. Therefore, the information you have requested is not applicable to our Trust in this instance.

Should you require any further information please do not hesitate to contact me on the email address provided below.

Please remember to quote the reference number above in any future communications.

If you are dissatisfied with the handling of your request, you have the right to ask for this to be investigated internally.

If you are dissatisfied with the information you have received, you have the right to ask for an internal review.

Both processes will be handled in accordance with our Trust's Freedom of Information Policy and the Freedom of Information Act 2000.

Internal investigation and internal review requests should be submitted within two months of the date of receipt of the response to your original letter and should be addressed to: Freedom of Information Review, The Clatterbridge Cancer Centre NHS Foundation Trust, Clatterbridge Road, Bebington, Wirral, CH63 4JY

If you are not satisfied with the outcome of the internal investigation/review, you have the right to apply directly to the Information Commissioner for a decision. The Information Commissioner can be contacted at: Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF.

In order for us to ensure customer satisfaction and to monitor compliance with the Freedom of Information Act 2000, we would be grateful if you could take a couple of minutes to complete a short feedback form via the link below:

https://www.surveymonkey.co.uk/r/H39RFMM