

Date: 27 October 2020

Re: Freedom of Information Request
Ref: 223-2020

Thank you for your email dated the 2nd October 2020, requesting information in relation to ultrasound imaging devices.

The information that you require is as follows:

For all ultrasound imaging devices currently in operation within your hospital listed below, please provide a list detailing

- **The name of the manufacturer**
- **The model name / number**
- **The year purchased**
- **The department/location where this device is being used.**

For Example: Sonosite, Edge, 2014, ICU, 'Hospital Name'

The ultrasound imaging devices currently in operation within our hospital are as follows:

Manufacturer	Model	Year Purchased	Department location	Use
Canon	Aplio 500	2016	CCC Wirral, Imaging	General
Canon	Aplio i600	2020	CCC Liverpool, Radiology	General
Canon	Xario	2018	CCC Liverpool, Theatre	Brachytherapy applicator guidance
Bk Medical	BK Specto	2019	CCC Wirral, Radiotherapy Pre- treatment	Fiducial marker insertion

Should you require any further information please do not hesitate to contact me on the email address provided below.

Please remember to quote the reference number above in any future communications.

If you are dissatisfied with the handling of your request, you have the right to ask for this to be investigated internally.

If you are dissatisfied with the information you have received, you have the right to ask for an internal review.

Both processes will be handled in accordance with our Trust's Freedom of Information Policy and the Freedom of Information Act 2000.

Internal investigation and internal review requests should be submitted within two months of the date of receipt of the response to your original letter and should be addressed to: Freedom of Information Review, The Clatterbridge Cancer Centre NHS Foundation Trust, Clatterbridge Road, Bebington, Wirral, CH63 4JY

If you are not satisfied with the outcome of the internal investigation/review, you have the right to apply directly to the Information Commissioner for a decision. The Information Commissioner can be contacted at: Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire, SK9 5AF.

In order for us to ensure customer satisfaction and to monitor compliance with the Freedom of Information Act 2000, we would be grateful if you could take a couple of minutes to complete a short feedback form via the link below:

<https://www.surveymonkey.co.uk/r/H39RFMM>